

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	11684	calculat\$4 adj3 estimat\$2	US-PGPUB; USPAT	2004/07/08 15:57
2	BRS	76658	display\$4 adj3 user\$2	US-PGPUB; USPAT	2004/07/08 15:57
3	BRS	12474	707/1-5,8-10.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
4	BRS	4073	707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
5	BRS	1189	706/45,46,55,60-62.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
6	BRS	4736	705/1,7,8.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
7	BRS	13057	709/100,102,105,200,201,217,220-226.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
8	BRS	1121	711/100,101.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
9	BRS	1813	713/1,100.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
10	BRS	1592	714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
11	BRS	15129	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2005/03/01 08:31
12	BRS	22890	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2005/03/01 08:32
13	BRS	160534	data adj base or data\$2base	US-PGPUB; USPAT	2004/07/08 15:57
14	BRS	1528	hardware and utilization with limit\$2	US-PGPUB; USPAT	2004/07/08 15:57
15	BRS	174	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (hardware and utilization with limit\$2)	US-PGPUB; USPAT	2004/07/08 15:57
16	BRS	4850	throughput with requirement\$2	US-PGPUB; USPAT	2004/07/08 15:57

	Type	Hits	Search Text	DBs	Time Stamp
17	BRS	15129	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/08 15:57
18	BRS	22890	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/10 14:57
19	BRS	286	calculat\$4 with resources with (require\$2 or needed) and hardware	US-PGPUB; USPAT	2004/07/08 15:57
20	BRS	3318	accept\$4 with user adj3 input	US-PGPUB; USPAT	2004/07/08 15:57
21	BRS	10833	(output\$4 or display\$4) with user with format\$4	US-PGPUB; USPAT	2004/07/08 15:58
22	BRS	388	((output\$4 or display\$4) with user with format\$4) and (accept\$4 with user adj3 input)	US-PGPUB; USPAT	2004/07/08 15:58
23	BRS	58	obtain with (data adj base or data\$2base) with requirement\$2	US-PGPUB; USPAT	2004/07/08 15:58
24	BRS	88	obtain\$4 with (throughput) with requirement\$2	US-PGPUB; USPAT	2004/07/08 15:58
25	BRS	349	process with utilization with limit\$2	US-PGPUB; USPAT	2004/07/08 15:59
26	BRS	514	process\$2 and utilization adj limit\$2	US-PGPUB; USPAT	2004/07/08 15:59
27	BRS	15129	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/08 15:59
28	BRS	66	percent with utilization with limit\$2	US-PGPUB; USPAT	2004/07/08 15:59
29	BRS	22890	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/08 15:59
30	BRS	15129	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/08 15:59
31	BRS	1	"5063360".pn.	US-PGPUB; USPAT	2003/08/06 08:00
32	BRS	1	"5617514".pn.	US-PGPUB; USPAT	2002/05/31 15:32

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	1	"5630025".pn.	US-PGPUB; USPAT	2004/07/10 14:56
34	BRS	3	hardware adj3 utilization adj3 limit\$2	US-PGPUB; USPAT	2002/06/10 15:28
35	BRS	9	hardware with utilization adj3 limit\$2	US-PGPUB; USPAT	2002/06/10 15:30
36	BRS	63	hardware with utilization with limit\$2	US-PGPUB; USPAT	2002/06/10 15:38
37	BRS	44	((707/1-5,8-10.ccls. or 707/1- 5,8-10.ccls. or 707/200- 203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220 -226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (hardware and utilization near2 limit\$2)	US-PGPUB; USPAT	2002/06/11 08:53
38	BRS	7	throughput with workload with requirement\$2	US-PGPUB; USPAT	2002/06/10 15:53
39	BRS	164	throughput with requirement\$2 and workload	US-PGPUB; USPAT	2002/12/09 14:39
40	BRS	18	calculat\$4 with hardware adj3 resources with (require\$2 or needed)	US-PGPUB; USPAT	2002/06/11 08:03
41	BRS	40	((707/1-5,8-10.ccls. or 707/1- 5,8-10.ccls. or 707/200- 203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220 -226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (calculat\$4 with resources with (require\$2 or needed) and hardware)	US-PGPUB; USPAT	2002/12/09 13:44

	Type	Hits	Search Text	DBs	Time Stamp
42	BRS	82	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (((output\$4 or display\$4) with user with format\$4) and (accept\$4 with user adj3 input))	US-PGPUB; USPAT	2002/06/11 09:00
43	BRS	6	transactions adj2 second with requirement	US-PGPUB; USPAT	2002/06/11 09:05
44	BRS	145	obtain\$4 with (data adj base or data\$2base) with requirement\$2	US-PGPUB; USPAT	2002/06/11 09:41
45	BRS	6	obtain\$4 with (data adj base or data\$2base) adj2 requirement\$2	US-PGPUB; USPAT	2002/06/11 09:44
46	BRS	18	(obtain\$4 or receiv\$4 or get\$4) with (data adj base or data\$2base) adj2 requirement\$2	US-PGPUB; USPAT	2002/06/11 09:50
47	BRS	201	((obtain\$4 or receiv\$4 or get\$4) with requirement\$2) and ((data adj base or data\$2base) adj2 requirement\$2)	US-PGPUB; USPAT	2002/06/11 10:21
48	BRS	2	process adj3 utilization adj2 limit\$2	US-PGPUB; USPAT	2002/06/11 10:23
49	BRS	28	process with utilization adj2 limit\$2	US-PGPUB; USPAT	2002/06/11 10:42
50	BRS	20	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (process\$2 and utilization adj limit\$2)	US-PGPUB; USPAT	2002/06/11 10:44
51	BRS	8	percent with utilization adj2 limit\$2	US-PGPUB; USPAT	2002/06/11 13:50

	Type	Hits	Search Text	DBs	Time Stamp
52	BRS	9	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (percent with utilization with limit\$2)	US-PGPUB; USPAT	2002/06/11 13:51
53	BRS	N/A	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2002/06/12 08:02
54	BRS	0	upper adj3 limit\$2 with utilization	US-PGPUB; USPAT	2002/06/12 09:21
55	BRS	0	upper adj3 limit\$2 with utilization and below	US-PGPUB; USPAT	2002/06/12 09:23
56	BRS	0	lower adj3 limit\$2 with utilization and above	US-PGPUB; USPAT	2002/06/12 09:24
57	BRS	0	(upper adj3 limit\$2 with utilization and below) and (lower adj3 limit\$2 with utilization and above)	US-PGPUB; USPAT	2002/06/12 09:22
58	BRS	0	upper adj3 limit\$2 with utilization and below and over	US-PGPUB; USPAT	2002/06/12 09:37
59	BRS	0	lower adj3 limit\$2 with utilization and above and under	US-PGPUB; USPAT	2002/06/12 09:24
60	BRS	0	(upper adj3 limit\$2 with utilization and below and over) and (lower adj3 limit\$2 with utilization and above and under)	US-PGPUB; USPAT	2002/06/12 09:25
61	BRS	0	upper adj3 limit\$2 with utilization and (below with (limit\$2 or level\$2)) and (over with utilization)	US-PGPUB; USPAT	2002/06/12 09:50
62	BRS	0	lower adj3 limit\$2 with utilization and (above with (limit\$2 or level\$2)) and (under with utilization)	US-PGPUB; USPAT	2002/06/12 09:48

	Type	Hits	Search Text	DBs	Time Stamp
63	BRS	0	(above with (limit\$2 or level\$2)) and (under with utilization)	US-PGPUB; USPAT	2002/06/12 09:48
64	BRS	0	(below with (limit\$2 or level\$2)) and (over with utilization)	US-PGPUB; USPAT	2002/06/12 09:50
65	BRS	0	((above with (limit\$2 or level\$2)) and (under with utilization)) and ((below with (limit\$2 or level\$2)) and (over with utilization))	US-PGPUB; USPAT	2002/06/12 10:34
66	BRS	0	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (((above with (limit\$2 or level\$2)) and (under with utilization)) and ((below with (limit\$2 or level\$2)) and (over with utilization)))	US-PGPUB; USPAT	2002/06/12 09:51
67	BRS	0	network adj3 interface adj3 card\$2	US-PGPUB; USPAT	2002/06/12 10:35
68	BRS	0	number with network adj3 interface adj3 card\$2	US-PGPUB; USPAT	2002/06/12 10:36
69	BRS	0	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (number with network adj3 interface adj3 card\$2)	US-PGPUB; USPAT	2002/06/12 13:39
70	BRS	0	establish\$4 with default adj3 value\$2	US-PGPUB; USPAT	2002/06/12 13:40
71	BRS	0	initializ\$4 adj3 limit\$2	US-PGPUB; USPAT	2002/06/12 13:43
72	BRS	0	(establish\$4 with default adj3 value\$2) and (initializ\$4 adj3 limit\$2)	US-PGPUB; USPAT	2002/06/12 13:41

	Type	Hits	Search Text	DBs	Time Stamp
73	BRS	0	initializ\$4 adj3 hardware	US-PGPUB; USPAT	2002/06/12 13:43
74	BRS	0	(establish\$4 with default adj3 value\$2) and (initializ\$4 adj3 hardware)	US-PGPUB; USPAT	2002/06/12 13:54
75	BRS	0	(discrete adj3 number\$2) and (hardware adj3 component\$2)	US-PGPUB; USPAT	2002/06/12 13:56
76	BRS	0	((707/1-5,8-10.ccls. or 707/1- 5,8-10.ccls. or 707/200- 203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220 -226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((discrete adj3 number\$2) and (hardware adj3 component\$2))	US-PGPUB; USPAT	2002/06/12 13:57
77	BRS	0	707/1-5,8-10.ccls. or 707/1- 5,8-10.ccls. or 707/200- 203,205.ccls.	US-PGPUB; USPAT	2002/06/13 07:48
78	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220 -226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2002/06/13 07:48
79	BRS	0	proposed and (data\$2base adj management adj system) and server\$2 and determin\$4 and (hardware adj2 requirement\$2) and workload	US-PGPUB; USPAT	2004/07/03 13:27
80	BRS	0	707/1-5,8-10.ccls. or 707/1- 5,8-10.ccls. or 707/200- 203,205.ccls.	US-PGPUB; USPAT	2003/08/06 08:06
81	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220 -226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2003/08/06 08:07
82	BRS	0	database\$2 and (hardware adj3 utilization) and limits	US-PGPUB; USPAT	2005/03/01 09:46

83	BRS	0	database\$2 and (hardware with resources) and determin\$4 and re\$2determin\$4	US-PGPUB; USPAT	2004/07/10 14:53
----	-----	---	--	--------------------	---------------------



	Type	Hits	Search Text	DBs	Time Stamp
84	BRS	0	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2003/08/06 09:28
85	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2003/08/06 09:51
86	BRS	0	database\$2 and (hardware with resources) and determin\$4 and (re-determin\$4 or redetermin\$4)	US-PGPUB; USPAT	2003/08/06 10:01
87	BRS	0	database\$2 and (hardware with resources) and determin\$4 and (determin\$4 with again)	US-PGPUB; USPAT	2003/08/06 10:03
88	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2003/08/06 10:02
89	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2003/08/06 10:02
90	BRS	0	((database\$2 and (hardware with resources) and determin\$4 and (determin\$4 with again) ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (database\$2 and (hardware with resources) and determin\$4 and (determin\$4 with again))	US-PGPUB; USPAT	2003/08/06 10:04

	Type	Hits	Search Text	DBs	Time Stamp
91	BRS	0	((database\$2 and (hardware with resources) and determin\$4 and (determin\$4 with again) ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and (database\$2 and (hardware with resources) and determin\$4 and (determin\$4 with again)) and (advis\$4 with user\$2)	US-PGPUB; USPAT	2003/08/06 10:05
92	BRS	0	database\$2 and (hardware adj3 utilization) and (transactions adj3 per adj3 second)	US-PGPUB; USPAT	2004/07/03 13:17
93	BRS	0	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2003/08/07 07:29
94	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2003/08/07 07:29
95	BRS	0	database\$2 and (hardware adj3 utilization) and limits and over and under and upper and lower	US-PGPUB; USPAT	2003/08/08 08:59
96	BRS	0	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/03 13:10
97	BRS	0	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/03 13:10
98	BRS	0	database\$2 and (hardware adj3 utilization) and (transactions adj3 per adj3 second)	US-PGPUB; USPAT	2004/07/10 14:03
99	BRS	0	proposed and (data\$2base adj management adj system) and server\$2 and determin\$4 and (hardware adj2 requirement\$2) and workload	US-PGPUB; USPAT	2005/03/01 09:41

	Type	Hits	Search Text	DBs	Time Stamp
100	BRS	0	database\$2 and (hardware adj3 utilization) and limits	US-PGPUB; USPAT	2004/07/03 13:39
101	BRS	12474	707/1-5,8-10.ccls.	US-PGPUB; USPAT	2004/07/09 10:10
102	BRS	13288	establish\$4 and (default adj3 value\$2)	US-PGPUB; USPAT	2004/07/10 15:26
103	BRS	15129	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/11 15:52
104	BRS	22890	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/11 15:52
105	BRS	5640	(database adj management adj system\$2) and server\$2	US-PGPUB; USPAT	2004/07/10 14:59
106	BRS	467	(database adj management adj system\$2) and server\$2 and (establish\$4 and (default adj3 value\$2))	US-PGPUB; USPAT	2004/07/10 14:59
107	BRS	207	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 and (default adj3 value\$2)))	US-PGPUB; USPAT	2004/07/10 15:00

	Type	Hits	Search Text	DBs	Time Stamp
108	BRS	3	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 and (default adj3 value\$2))) and (hardware with utilization)	US-PGPUB; USPAT	2004/07/10 15:01
109	BRS	66	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 and (default adj3 value\$2))) and (utilization)	US-PGPUB; USPAT	2004/07/10 15:27
110	BRS	493	establish\$4 with (default adj3 value\$2)	US-PGPUB; USPAT	2004/07/10 15:26
111	BRS	0	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 with (default adj3 value\$2))) and (utilization)	US-PGPUB; USPAT	2004/07/10 15:27

	Type	Hits	Search Text	DBs	Time Stamp
112	BRS	1	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 with (default adj3 value\$2)))	US-PGPUB; USPAT	2005/03/01 09:47
113	BRS	15130	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2004/07/11 15:52
114	BRS	22891	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2004/07/11 15:53
115	BRS	17465	707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2005/03/01 10:09
116	BRS	26769	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.	US-PGPUB; USPAT	2005/03/01 08:32
117	BRS	12	proposed and (data\$2base adj management adj system) and server\$2 and determin\$4 and (hardware adj2 requirement\$2) and workload	US-PGPUB; USPAT	2005/03/01 09:41
118	BRS	39	database\$2 and (hardware adj3 utilization) and limits	US-PGPUB; USPAT	2005/03/01 09:46

	Type	Hits	Search Text	DBs	Time Stamp
119	BRS	2	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls. ) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls. )) and ((database adj management adj system\$2) and server\$2 and (establish\$4 with (default adj3 value\$2)))	US-PGPUB; USPAT	2005/03/01 09:47
120	BRS	23514	707/1-5,8-10.ccls. or 707/100-104.1.ccls. or 707/200-203,205.ccls.	US-PGPUB; USPAT	2005/03/01 10:10